Udstyrsliste Kampagnemodel 7250 Agrotron TTV Stage V



Læs mere på de næste sider...



1 NR 7FN002

7250 AGROTRON TTV (2021) DEUTZ TCD 6.1 L06 4V Stage V. 4 valve DCR (Deutz Common Rail). 6 cylinder. 6057 cm³ capacity. SCR System (Selective Catalytic Reduction), EGR (External Gas Recirculation) and passive DPF (Diesel Particulate Filter). 2100 rpm rated speed. Power at rated speed (ECE R 120): 237 HP/174.4 kW. Max power (ECE R 120): 247 HP/181.3 kW. Electronically controlled viscostatic fan "eVisco". TTV compound transmission T7560 with automatic speed ranges, PowerZero, 2 Cruise speeds, Trailer stretch mode and adjustable Powershuttle. MaxiVision Cab2. Multifunctional armrest and joystick for the control of: engine, transmission, axles, proportional spool valves, 3-point electronic hitch and PTO. 4WD, Diff. Lock,...

Læs mere på nedenstående sider...

ER009

Kan tilkøbes: SR20 PRO: GNSS RECEIVER for centimeter accuracy (RTK), capable for Galileo/GPS/Glonass. For RTK NTRIP CTM installation + Data

package mandatory

ET005

Kan tilkøbes: Performance Steering predisposition, includes adjustable "Easy Steer"

Specifikationer på 7250 Agrotron TTV

Læs nedenunder:



Genera	al features	
Countr	y/Specializing	
CH001	Fuel and AdBlue tank caps without lock	
CZ114	DEUTZ-FAHR GREEN body color	✓
RW000	Standard specs	✓
TDN46	Homologation for EEC market (MR)	
TZ001	Warning plates	
VC021	Battery: 12V - 180Ah - 1200A (EN) / 800A (IEC) / 700A (DIN)	✓
Powert	train	
CG067	Fuel tank: 505 I / AdBlue tank: 35 I	
CN028	10" air filter with dust ejector	✓
EL004	Electronic Parking Brake (EPB)	✓
EM016	Transmission designed for 70 Km/h, limited to 40 km/h at ultra-economy engine speed	✓
EN001	Fixed rear axle	✓
EQ007	"Sense Clutch" powershuttle with modulation device	✓
EU266	Compound concept technology of Continuously Variable Transmission with 3 driving strategies (MANUAL/AUTO/PTO) and smooth driving be "Power Zero" function, Two cruise functions in each direction, minimum engine RPM settable in Auto-Mode via the hand throttle - max limitat ECO/Power potentiometer; Four high efficiency rear disc brakes (2 each side); Advanced trailer stretch function; Rear PTO with electronic special policy (includes 1 of 3/8 with 6 splines stub shaft)	ion via the
EV018	6 cyl. engine	✓
IM003	Electronically controlled VISCOSTATIC fan "eVisco"	✓
NC054	FRONT SUSPENDED AXLE with ADAPTIVE DAMPING system + Front differential lock oil-immersed multi-disc + ASM system	✓
RZ003	ELECTRONIC engine management	✓
ZZ139	Stage V technology	✓
Plat/Ca	ab/Bodywork	
2-001	Connectivity Value Package CTM capable for Remote Access and NTRIP	✓
AG007	Leather and fabric passenger seat with seatbelt	✓
AJ002	Rolling safety seat belt	✓
AK001	Rear window wiper	✓
AM142	MaxiVision 2 Cab with tilting and adjustable steering column with integrated dashboard, pre-arrangement for radio with antenna and 4 loudsp ventilation and heating system, refrigerated and heated drink storage compartment, ambience light, lights control panel with coming home fur (WOLP), tinted glasses (side and rear)	•
AP015	InfoCentrePro with 5" colour display (km/h)	/

AZ001	Headrest for seat	✓
ES002	CTM 4G Communication Telematic Module. Embedded "all-net" sim with automatic use of the strongest mobile network available. CTM enables various applications which are available after license purchase: Fleet Management, Agrirouter, RTK NTRIP (EU)	✓
SI010	Cab with front fixed window and lateral fixed glasses	✓
SJ001	Cab with rear opening window	✓
SK002	Cab with rear lower SOUNDPROOF glass	✓
SS011	Mechanical cab suspensions	✓
ZA001	Application Package Basic 1 year capable for Remote Access and NTRIP (RTK signal must be purchased by local provider)	✓
Hitch		
GD022	ELECTRONIC rear lift with ANTIDAMPING and AUTO PTO function	✓
GE105	Mechanical right and left tie rod	✓
GT021	Lift assistor rams (10.000 kg capacity)	✓
YG009	Self-locking automatic stabilizers	✓
YM088	Rear hitch "CEE" with quick adjustment	✓
Tyres RA111	Front and rear fixed rims	√
RF1245	Tyres: 540/65 R30 front, 650/65 R42 rear	✓
WD026	Rear mudguard extensions (overall width 2500 mm)	✓
WE003	Front steering mudguards	✓
tm050	Tyres Brand supplied by Factory	✓
Hydrau	ulic/Pneumatic	
GO001	Free hydraulic oil return	✓
XQ007	Hydraulic distributors with "Push-pull" quick couplers and oil recovery tank	\checkmark
AQ007		
	onal equipment	
Additio	onal equipment y/Specializing	
Additio		✓
Additio Country	y/Specializing	✓ ✓

Powertrain CA005 Heated fuel prefilter CC112 Vertical exhaust pipe on cab post with stainless plate on muffler CD004 Engine Brake (with air compressor) (selectable without pneumatic trailer brake) Plat/Cab/Bodywork Seat Max-Dynamic Evo DDS XXL (SYNTHETIC LEATHER) (low frequency air-suspension with Dynamic Damping System, automatic weight adjustment, adjustable seat position, document holder, pneumatic lumbar support, upper backrest extension, active climate system, lateral suspension, fore-aft suspension, swivel LH: 8°, swivel RH: 15°, extra wide frame 550 mm) and Multifunction Armrest AF015 DAB+ Radio with Bluetooth and integrated functionalities on InfoCentrePro (Radio station info, incoming call, last calls list). Radio with DAB+/FM/AM band and USB port for playing MP3 and WMA files. Aux in port and microphone for comfortable hands free function. Fully integrated DAB+/FM antenna in the cabin roof. Right and left ELECTRIC and HEATED mirrors with external courtesy LED lights AL013 AQ026 AUTOMATIC air conditioning AV031 Cab roof hatch. 4 front + 4 rear LED work lights on cab roof AW004 Cab roof with LOW-E GLASS opening HATCH without FOPS AX001 Cab floor mat cover RR001 Radar VD002 Front and rear FULL LED lights (position, stop and direction lights) Front LED headlights for right-hand traffic VE010 VF017 LED rotary beacon VG008 Rear LED work light on mudguard VJ020 7-pin socket for equipment (ISO 11786) VL008 4 front LED IV work lights on direction indicator VP005 Front LED work lights on bonnet 2 upper LED headlights on cab post VQ003 VX001 Rear electrical socket ISOBUS ISO 11783 iMonitor3 in 12" contains Isobus features: Universal Terminal, TC-SC with up to 200 sections, TC-BAS for ISO-XML data transfer, TC-VY021 GEO for variable rate control, AUX-N assignments WC032 Rear mudguards with ILLUMINATED push-button panel for rear lift, electro-hydr. spool valve and PTO Hitch FA176 FRONT LINKAGE with double acting cylinders (5480 kg capacity) FB003 Electro-hydraulic valve for FRONT LINKAGE control with electronic position control Cat. III AUTOMATIC upper link for front linkage FC003 Three-point linkage with automatic upper and lower links + hydraulic upper link (WALTERSCHEID) GC115 LI027 Splined profile PTO shafts 1" 3/8 with 21 splines and 1" 3/4 with 6 splines Drawbar & hitches (SAUERMANN) YS002 YJ001 Link balls holder YQ004 Swinging drawbar cat. III

Hydraulic/Pneumatic

CQ002	External air connection for air-compressor accessories below the last step on the left tractor side WITH AIR HOSE AND AIR BLOW GUN	√
GB440	Close centre hydraulic system with "LOAD SENSING" pump (160 l/min)	\checkmark
GN030	ComfortPack with 1 electro-hydraulic distributor (2 outlets)	✓
GP258	5 electro-hydraulic rear distributors with flow regulator and timer. Electronic joystick for 1st & 2nd. Electronic fingertip controls for 3rd & 4th & 5th	✓
GS033	Hydraulic Dual Mode trailer braking system (MR)	✓
GX001	POWER BEYOND: direct oil inlet to connect to the external spool valves	\checkmark